Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	4	kuhn-reid-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:27
S7	1	coyne-alexander-\$.in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:31
S8	1	10/762012	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:32
S11	2	(credential near information) SAME (first NEAR logic)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:34
S12	2	(credential near information) SAME (first NEAR logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:35
S13	100668	time NEAR information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:35
S14	3	(time NEAR information) SAME (authenticat\$4 NEAR logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/19 07:35
S15	1	10/762012 AND (authentication NEAR5 (nonce data))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/19 09:43

S16	1	10/762012 AND (authentication NEAR5 (nonce ADJ data))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/08/17 07:01
S27	1	10/762012 AND (output\$4 NEAR5 request)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:59
S30	1	10/762012 AND ((authentication ADJ logic) NEAR3 (authentication ADJ request))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/19 11:07
S34	1	10/762012 AND (client SAME server)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:10
S48	2	(trusted NEAR3 authentication NEAR4 credential).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 07:38
S49	1	10/762012 AND (signature)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 07:55
S50	17676	(713/168-172 OR 713/178 OR 713/180 OR 713/182-186 OR 713/155-156 OR 713/176 OR 726/2-10 OR 726/17-21 OR 726/26-30 OR 380/255 OR 380/259 OR 380/282 OR 380/285 OR 380/44 OR 380/30 OR 380/229-232 OR 380/247).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:59
S51	2308	authentication NEAR3 exchange	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:18
S52	55	authentication NEAR3 exchange NEAR10 (authentication NEAR2 request)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:23

S53	7	(authentication NEAR credential) SAME exchange SAME (authentication NEAR2 request)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:39
S55	2	"6,044,471".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:59
S56	2	"5,999,711".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:47
S57	2	"6,367,009".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:48
S58	,	"6,377,691".pn.	US-PGPUB; USPAT; 'USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:49
S59	2	"6,643,774".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/20 08:49
S60	2	"6,651,168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:51

S61	2	"6,785,825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:52
S63	2	"20030188193"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:15
S64	2	"20030212806"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:53
S65	2	"20050210252"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 08:59
S67	2	"20040243832"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:04
S68	2	"20020169988"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:04
S69	1408	authentication NEAR (hardware OR firmware OR software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:20
S70	86	timestamp NEAR4 nonce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:19

			,	,		,
S72	143	timestamp SAME nonce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:19
S74.	156	(authentication NEAR (hardware OR firmware OR software)) SAME (time OR timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:20
S75	53	S50 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:33
S76	4902	authentication ADJ request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:34
S77	967	(authentication ADJ request) SAME (sign\$2 OR encrypt\$2 SAME key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:35
S78	477	(authentication ADJ request) SAME (sign\$2 OR encrypt\$2) SAME key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:37
S79	102	(authentication NEAR information) SAME (credential NEAR information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:38

S80	4	S78 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2007/05/20 09:38
			DERWENT; IBM_TDB			
S82	2	"20030210788"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:45
S83	2	"20030210787"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON .	2007/05/20 09:41
S84	2	"20030130857"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:44
S85	216	((authentication NEAR information) SAME time WITH authentication). clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:54
S86	54	((authentication NEAR request) SAME authentication WITH credential).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:54
S87	3340	(authentication SAME (sign\$2 OR encrypt\$2)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:54
S88	1	S85 and S86 and S87	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:50
S89	1	S85 and S86	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:50

Page 6

	т			1		Ţ
S90	10	S86 and S87	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:50
S95	1813	((authentication NEAR information) SAME time WITH authentication)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:01
S96	313	((authentication NEAR request) SAME authentication WITH credential)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:54
S97	23943	(authentication SAME (sign\$2 OR encrypt\$2))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:55
S98	29	S95 and S96	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 09:55
S99	29	((authentication NEAR information) SAME timestamp WITH authentication)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:21
S10 0	18865	biometric	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:23
S10 1	7531	biometric WITH user	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:33
S10 2	476	collect\$4 SAME biometric WITH user	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:24
S10 3	44 97	authentication ADJ request	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:24

			1	1		,
S10 4	65	(authentication ADJ request) NEAR3 sign\$2 SAME key	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR '	ON	2007/05/20 10:25
S10 5	65	S103 and S104	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:28
S10 6	27	S102 and S103	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:28
S10 7	476	S101 AND S102	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:33
S10 8	146	S50 and S107	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:41
S11 2	2	"20050005135"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR .	ON	2007/05/20 10:47
S11 3	1510	access\$4 NEAR3 biometric	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON .	2007/05/20 10:48
S11 4	130698	(sign\$4 OR encrypt\$4) WITH key	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:48
S11 5	0	(sign\$4 OR encrypt\$4) NEAR5 autentication WITH key	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:49
S11 6	6284	(sign\$4 OR encrypt\$4) NEAR5 authentication WITH key	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:49

S11 7	42	(encrypt\$ NEAR authentication ADJ request)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON .	2007/05/20 10:49
S11 9	5	trust\$4 ADJ authentication ADJ credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 10:59
S12 0	0	authentication NEAR2 credential WITH non-secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:06
S12 1	2036	authentication NEAR2 credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:08
S12 2	10	authentication With time same credential with cryptographic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:18
S13 3	2	"20050160264" AND (time\$5 OR temporal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/08/15 07:16
S13 5	15656	authentication with (time timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:18

S13 6	2275	authentication with (time timestamp) with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:19
S13 7	75	authentication with (time timestamp) with request with credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:50
S13 9	134526	nce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:50
S14 0	. 234	authentication NEAR5 nonce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S14 1	6	authentication NEAR5 nonce NEAR timestamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:53
S14 2	93	authentication WITH nonce WITH (timestamp time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:07
S14 4	7	(authentication NEAR2 (data code information)) WITH nonce NEAR3(timestamp time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:50

			· · · · · · · · · · · · · · · · · · ·		<u> </u>	
S14 6	18	(authentication NEAR2 (data code information)) WITH nonce WITH (timestamp time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 10:18
S15 1	1	"7178034" AND (nonce WITH timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 09:24
S15 2	1	"7178034" AND (nonce WITH timestamp) SAME authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 09:45
S16 0	2	"6915423".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 09:47
S16 6	5755	request\$4 WITH authentication with (credential "ID" userid "password" biometric irises faces fingerprint smartcard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 10:21
S16 7	1201	request\$4 WITH authentication with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) same (time timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 10:21
S16 8	621	request\$4 WITH authentication with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) WITH (time timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:52

C47	_		110 005::5	00	01:	2007/00/45 44 45
S17 0	6	request\$4 WITH authentication with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) WITH (time timestamp) WITH modif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:12
S17 1	624	nonce with (time timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 10:34
S17 2	93	nonce with (time timestamp) WITH authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 10:55
S17 3	0	biometric with cedential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/15 10:55
S17 4	462	biometric with credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 10:55
S17 5	15	biometric with credential with (gather\$4 collect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:11
S17 6	1804	provid\$4 with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) WITH (client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:13

647	266	7 1 A 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LIC DCDLIE	OD.	ON	2007/00/45 44:44
S17. 7	368	provid\$4 with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) WITH (client) WITH authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:14
S17 8	163	provid\$4 with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) WITH (client) WITH authentication with credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON .	2007/08/15 11:14
S17 9	126	S178 AND @ay<="2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:15
S18 0	106	S178 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:24
S18 1		"5,764,887".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:26
S18 2	7481	authentication With client with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:27
S18 3	457	authentication With client with server with credential	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:27

			г	<u> </u>		Ţ
S18 4	26	authentication With client with server with credential with (time timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:34
S18 5	2	"20050160264" AND (authentication near request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:10
S18 6		"20050160264" AND (authentication near information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:30
S18 7	467	authentication near logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:17
S18 8	411	authentication ADJ logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:19
S18 9	20	(time timestamp) with (authentication ADJ logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:20
S19 0	1	(time timestamp) with (authentication ADJ logic) with (authentication near (data code information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:21

S19 1	1	(time timestamp) with (authentication ADJ logic) with (authentication near2 (data code information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:26
S19 2	12	(time timestamp) with (authentication ADJ (logic or module)) with (authentication near2 (data code information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:26
S19 3		"20050160264" AND (authentication near logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:34
S19 4	3167	(authentication near (logic module)) generat\$4 WITH (nonce with (time timestamp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/15 12:39
S19 5	2845	(authentication ADJ (logic module)) generat\$4 WITH (nonce with (time timestamp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/15 12:35
S19 6	2622	(authentication ADJ (logic module)) generat\$4 WITH (nonce with (time timestamp)) with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:36
S19 7	1495	S196 AND @ad<"20040112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2007/08/15 12:36

S19 8	2612	(authentication ADJ (logic module)) generat\$4 NEAR5 (nonce NEAR9 (time timestamp)) with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:37
S20 5	0	(authentication near3 (logic module)) near3 generat\$4 WITH (nonce with (time timestamp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:40
S20 8	5083	(authentication near3 (logic module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:40
S20 9	2	(authentication near3 (logic module)) WITH nonce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:41
S21 0	534673	(server) generat\$4 WITH nonce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:42
S21 1	83	(server) near3 generat\$4 WITH nonce	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:42
S21 2	2	(server) near3 generat\$4 WITH (nonce near5 timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:42

S21 3	100	(nonce near5 timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:42
S21 4	16	server with (nonce near5 timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:42
S21 5	342	S168 AND @ad<="20040112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:54
S21 6	6	request\$4 WITH authentication with (credential "ID" userid "password" biometric irises faces fingerprint smartcard) WITH (time timestamp) with modif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 12:53
S21 7	265	S168 AND @ad<="20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/15 12:58
S21 8	13	generat\$4 near3 (nonce near5 timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:49
S21 9	224209	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:03

					·	
S22 0	105	S219 WITH (timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:51
S22 1	125	S219 WITH (timestamp OR nonce)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:52
S22 2	89	S221 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:52
S22 3	18714	(713/168-172 OR 713/178 OR 713/180 OR 713/182-186 OR 713/155-156 OR 713/176 OR 726/2-10 OR 726/17-21 OR 726/26-30 OR 380/255 OR 380/259 OR 380/282 OR 380/285 OR 380/44 OR 380/30 OR 380/229-232 OR 380/247).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:59
S22 4	28	S222 AND S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:59
S22 6		(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) with authentication with timestamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:04
S22 ⁻ 7	8	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) with authentication same timestamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:06

S22 8	. 12	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) with authentication same (timestamp OR nonce)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:15
S22 9	4288	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) with authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:16
S23 0	396	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) with authentication with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/17 17:13
S23 1	396	S230 AND ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:16
S23 2	198	S230 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 15:17
S23 3	64	S223 AND S232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/15 17:34
S23 4	353	(authenticat\$3 authori\$6 verif\$7) adj (information data) with (time) near (limit period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/17 17:36

S23 5	199	(authenticat\$3 authori\$6 verif\$7) adj (information data) with (time) adj (limit period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 17:37
S23 6	126	S235 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 18:06
S23 7	232	S234 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 18:07
S23 8	67	(authentication ADJ request) NEAR3 sign\$2 SAME key	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/08/15 18:07
S24 1	30	S223 AND S238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 07:35
S25 2	4307	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) with authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/17 08:45
S25 4	224466	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 15:43

						,
S25 5	15474	(gather\$3 OR collect\$3 OR scan\$4 or enter\$3) WITH (credential OR ID OR userID or password or biometric OR irises faces fingerprint smartcard) WITH (time timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/17 17:30
S25 7	537	(authenticat\$3 authori\$6 verif\$7) adj2 (information data) with (time timestamp) near (limit period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 08:48
S25 · 9	18790	(713/168-172 OR 713/178 OR 713/180 OR 713/182-186 OR 713/155-156 OR 713/176 OR 726/2-10 OR 726/17-21 OR 726/26-30 OR 380/255 OR 380/259 OR 380/282 OR 380/285 OR 380/44 OR 380/30 OR 380/229-232 OR 380/247).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 08:50
S26 · 0	119	S257 and S259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 08:54
S26 2	72	S260 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 11:49
S26 3	72	S260 AND @ad<="20040121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/16 12:03

S26	72	(US-20020016913-\$ or	US-PGPUB;	OR	ON	2007/08/16 12:03
4		US-20020042883-\$ or	USPAT			
		US-20020067832-\$ or		•		
		US-20020095573-\$ or				
		US-20020169988-\$ or	8			
		US-20020169963-\$ or				
		US-20030061518-\$ or				
		US-20030001318-\$ 07				
		US-20030126438-\$ or				
		· ·				
		US-20030126437-\$ or				
		US-20030131235-\$ or				
		US-20030131234-\$ or				
		US-20030154413-\$ or			İ	
		US-20030212887-\$ or				
		US-20040006697-\$ or				
		US-20040030912-\$ or				
ı		US-20040030895-\$ or				
		US-20040054797-\$ or		ļ		_
		US-20040068656-\$ or				
		US-20040093523-\$ or				
		US-20040111625-\$ or				
		US-20040128508-\$ or				
		US-20040153560-\$ or				
		US-20040172541-\$ or	•			
		US-20040172531-\$ or				
		US-20040187036-\$).did. or				
		(US-20040187024-\$ or		-		
		US-20040186995-\$ or		1	1	
		US-20050060578-\$ or				
		US-20050000378-\$ 01				
		· '		1		
		US-20050125668-\$ or				
		US-20050138148-\$).did. or				
		(US-5311596-\$ or US-5412727-\$ or				
		US-5457747-\$ or US-5560008-\$ or				
		US-6006332-\$ or US-6005938-\$ or				
ŀ		US-6049611-\$ or US-6076164-\$ or				
-		US-6088450-\$ or US-6148404-\$ or				
		US-6229806-\$ or US-6338139-\$ or				
		US-6449722-\$ or US-6463474-\$ or				
		US-6470450-\$ or US-6515575-\$ or	'			
		US-6618584-\$ or US-6782260-\$ or				
		US-6842859-\$ or US-6851054-\$ or				,
		US-6934860-\$ or US-6938156-\$ or				
		US-6938037-\$ or US-6950940-\$ or				
		US-7010691-\$ or US-7010500-\$).				
		did. or (US-7024697-\$ or			1	
		US-7024556-\$ or US-7089420-\$ or				
		US-7120793-\$ or US-7131133-\$ or		1		
		US-7139917-\$ or US-7143436-\$ or				
		US-7143284-\$ or US-7152047-\$ or				
		US-7162035-\$ or US-7188224-\$ or				
1		US-7194618-\$ or US-7216360-\$ or				
		US-7228422-\$).did.	1			
		U3-1220722-\$ J.uiu.	1			<u> </u>